

PROCEDURE FOR CLEANING OF TREATMENT AREA	Policy No.: Revised:	601 June 2021
	Supersedes:	June 2018
	Page:	1 of 2

- **Purpose:** To ensure patient and staff safety by maintaining a clean environment with appropriate infection control and cleaning procedures of the treatment areas and equipment.
- Actions: Equipment used by a patient must be disinfected with a hospital-approved disinfectant after each patient use observing the dwell time specified on the disinfectant.

Current expected practices: Refer to current Expected Practices (EP) posted in the DHS Share point accessible from the Rancho intranet -> DHS Home page-> COVID-19 Resources, Testing, Vaccine & Mandates photo link -> Expected Practices link as well as the Rancho Sharepoint -> Coronavirus COVID-19 photo link-> Guidelines & Resources. These sites provide the most up to date guidelines, recommendations and expected practices for management of the COVID-19 pandemic.

- I. **DAILY** (and as needed if visibly soiled)
 - A. Linen Change after each patient use.
 - B. Mats Wash with a hospital approved disinfectant observing the dwell time specified on the disinfectant) after each patient use.
 - C. General straightening and putting away of equipment, along with a visual inspection of the treatment area for specific cleaning needs requiring Environmental Services (EVS) attention. EVS will be notified of actions required.
- II. **WEEKLY** (and as needed if visibly soiled)

General environmental cleaning of treatment areas will be conducted including dusting and straightening of shelves, and storage areas and a general visual inspection of treatment areas for specific EVS cleaning needs. EVS will be notified of specific areas requiring attention.

County of Los Angeles

PROCEDURE FOR CLEANING OF TREATMENT AREA	Policy No.:	601
	Supersedes:	May 2009
	Page:	2 of 2

III. **SPECIALTY** (in the event of specialty cleaning needs)

Based on current expected practices – if specialty cleaning needs arise, EVS will be notified of the need.

Director, Physical Therapy Department

601.Procedure for Cleaning of Treatment Area.doc