# LAC+USC MEDICAL CENTER DEPARTMENT OF INFECTION PREVENTION AND CONTROL POLICIES AND PROCEDURES

Page 1 of 1

Policy No.

IPC-16

Subject: Sterile Field Failure

<u>Departments Consulted</u>: Epidemiology Hospital Administration Surgical and OR Services Reviewed & Approved By:

Paul Holtom MD, Hospital Epidemiologist Noah Wald-Dickler MD, Associate Hospital Epidemiologist Chair and Vice-Chair, Infection Control Committee Brad Spellberg, MD Chief Medical Officer

Approved By:

## **PURPOSE**

To provide high quality and safe healthcare to patients undergoing sterile procedures in Operating Rooms located in the Diagnostic & Treatment Tower (D&T).

## POLICY & PROCEDURE

Position Statement: Sterile Field Failure

- Operating room personnel observe for, recognize, and immediately correct breaks in sterility or failures of sterile operative fields. Breaks in technique or potential crosscontamination of sterile fields and/or surgical instruments can exposure patients to microbial contaminants which increase the risk of surgical site infections.
- If a sterile surgical field has been compromised or cross-contamination is suspected, corrective action must include removal of the entire surgical instrument set and any other items that may have come in contact with the potentially contaminated material.
- An assessment of the individual sterile field failure event will be conducted to address underlying contributing factors (OR traffic, physical set-up, staff knowledge deficits etc.) that led to the sterile field breach and so that appropriate corrective actions may be taken.
- The Infection Control and Prevention Department should be notified at 323-409-6645 if further consultation surrounding a breach in sterile field is required.

### RESPONSIBILITY

Operating Room staff

#### REFERENCE

\*AORN 2014 Perioperative Standards Position Statement: Sterile Field Failure

Policy Revision Dates: Jan 2012, Apr 2016, Oct 2022

DISTRIBUTION: LAC+USC Department of Infection Prevention & Control || Policy & Procedure Manual