

High Desert Health System ASC Clinic Inspection Record

Clinic Location:	Date:	Charge Nurse/Nurse Manager : Pharmacy Audit Team:
-------------------------	--------------	--

Revised 12/28/12

Page 1

High Desert Health System ASC Clinic Inspection Record

Inspection Area	Criteria	Y e s	N o	Inspection Remarks and/or Violations:
EMERGENCY SUPPLIES <ul style="list-style-type: none"> • Emergency Crash Cart • Emergency Kit • Restricted Floor Stock • Tray for Crash Cart • Malignant Hyperthermia 	1. Emergency Cart/Kits secured (locked with tamper resistant device)	<input type="checkbox"/>	<input type="checkbox"/>	
	2. List of Cart/Kit medications posted on the outside of the cart/kit.	<input type="checkbox"/>	<input type="checkbox"/>	
	3. Cart/ Kit in Clean condition and fully operational	<input type="checkbox"/>	<input type="checkbox"/>	
	4. Readily retrievable documentation of earliest to expire drug	<input type="checkbox"/>	<input type="checkbox"/>	
	5. Expired drugs removed from crash cart before expiration date	<input type="checkbox"/>	<input type="checkbox"/>	
Medicine Room / Utility Room* <i>*For areas with Pyxis med storage system, see Pyxis MedStation Section below</i>	6. Medication storage areas (medication and utility room) locked and secured	<input type="checkbox"/>	<input type="checkbox"/>	
	7. Clinic stock medication list posted in the medication room	<input type="checkbox"/>	<input type="checkbox"/>	
	8. Only approved medications in stock.	<input type="checkbox"/>	<input type="checkbox"/>	
	9. No personal items stored under the sink. Only approved environmental cleaning agent in a closed bottle is acceptable	<input type="checkbox"/>	<input type="checkbox"/>	
	10. No Outdated, recalled, deteriorated, broken, contaminated, unlabeled or mislabeled drugs	<input type="checkbox"/>	<input type="checkbox"/>	
	11. Opened multi-dose vials dated with expiration date and opening date.	<input type="checkbox"/>	<input type="checkbox"/>	
	12. Medicine Room uncluttered and clean	<input type="checkbox"/>	<input type="checkbox"/>	
	13. Internal/External medications stored separately	<input type="checkbox"/>	<input type="checkbox"/>	
	14. There are no sample drug present	<input type="checkbox"/>	<input type="checkbox"/>	
	15. Antiseptics and cleaning solutions are properly labeled	<input type="checkbox"/>	<input type="checkbox"/>	
	16. Flammable and combustible substance are properly stored	<input type="checkbox"/>	<input type="checkbox"/>	
	17. Drugs requiring special storage conditions are properly stored (i.e. Protected from light or refrigerated).	<input type="checkbox"/>	<input type="checkbox"/>	
	18. Single dose vial once opened are not present at the end of the shift	<input type="checkbox"/>	<input type="checkbox"/>	
	19. There are no opened bottles of Nitroglycerin more than 6 months from date of opening/ or manufacturers expiration date whichever comes first	<input type="checkbox"/>	<input type="checkbox"/>	
	20. There are no blood and urine sugar reagent stick (i.e. glucose test) present after 6 months from the date opened or manufacturer's expiration date whichever comes first.	<input type="checkbox"/>	<input type="checkbox"/>	
	21. Reconstituted drugs are labeled with expiration date and concentration.	<input type="checkbox"/>	<input type="checkbox"/>	
	22. There are no drugs stored in the clinic without being accurately identified and labeled with lot numbers, expiration date and cautionary statement when needed	<input type="checkbox"/>	<input type="checkbox"/>	
	23. Stickers are posted in the bins for Sound-alike, Look-alike medications (Alfenta/ Fentanyl, Furosemide/Midazolam, Hydromorphone/Morphine, Heparin/ Hespan, Ephedrine/ Epinephrine, Hydralazine/ Hydroxyzine, Phentolamine/ Phenylephrine, Dopamine/ Dobutamine)	<input type="checkbox"/>	<input type="checkbox"/>	
	24. Stickers are posted for Black Box Warning Medication Check list (Ketamine, Versed, Ciprofloxacin, Enoxaparin, Levofloxacin, Metformin, Acetaminophen, Dalteparin, Ketoralac, Amiodarone, Fentanyl patch, Hydromorphone, Morphine ER, Midazolam)	<input type="checkbox"/>	<input type="checkbox"/>	

Record Findings. Give a copy to unit supervisor. Deficiencies should be corrected as soon as possible. Please verify that all deficiencies from previous inspection have been corrected.

High Desert Health System ASC Clinic Inspection Record

	25. Stickers are posted for High alert Medications (Heparin, Insulin, neuromuscular agents)	<input type="checkbox"/>	<input type="checkbox"/>	
	26. Controlled Substance are securely stored and accurately accounted for.	<input type="checkbox"/>	<input type="checkbox"/>	
	27. The following are displayed: A. Metric Apothecaries' weight and measure conversion chart B. Poison Control Information Center Telephone Number	<input type="checkbox"/>	<input type="checkbox"/>	
	28. All displayed information or chart on medications are up-to-date and present accurate information	<input type="checkbox"/>	<input type="checkbox"/>	
	29. The following are readily available: Emergency Drugs, Formulary, Expiration date of opened pharmaceutical containers	<input type="checkbox"/>	<input type="checkbox"/>	
	30. Neuromuscular Blocking Agents are stored separated from other medications and the bins are marked with stickers Paralytic Agents	<input type="checkbox"/>	<input type="checkbox"/>	
Pyxis MedStation	31. Pyxis MedStation in proper operating condition (fully functional), operation manual, override list of medications readily available	<input type="checkbox"/>	<input type="checkbox"/>	
	32. Pyxis MedStation free of unauthorized items on work surface (NO liquids on top of MedStation)	<input type="checkbox"/>	<input type="checkbox"/>	
	33. Drug discrepancy resolved in timely manner (resolved by end of shift)	<input type="checkbox"/>	<input type="checkbox"/>	
	34. Proper amount of medications available for patient administration (Stock out Report)	<input type="checkbox"/>	<input type="checkbox"/>	
	35. Check outdates and perform narcotic inventory	<input type="checkbox"/>	<input type="checkbox"/>	
Refrigerator	36. The refrigerator temperature is between 2 and 8 C (35 and 46 degrees F). The freezer temperature is negative 15 degrees C (5 degrees F or below). Temperature checked daily, or twice daily if vaccine is present.	<input type="checkbox"/>	<input type="checkbox"/>	
	37. Expired drugs removed from refrigerator	<input type="checkbox"/>	<input type="checkbox"/>	
	38. Opened vials dated with expiration date	<input type="checkbox"/>	<input type="checkbox"/>	
	39. A digital thermometer is present in each drug refrigerator and is working properly, and a separate thermometer is present in the freezer if medication is stored there • Thermometers are placed in the central area of refrigerator/freezer	<input type="checkbox"/>	<input type="checkbox"/>	
	40. NO medications stored in the refrigerator door	<input type="checkbox"/>	<input type="checkbox"/>	
	41. The refrigerator is clean and free of excessive frost.	<input type="checkbox"/>	<input type="checkbox"/>	
	42. There is no food or other non –drug item/s stored in the refrigerator	<input type="checkbox"/>	<input type="checkbox"/>	
Others	43. No other miscellaneous observation(s) requiring follow-up by Nursing	<input type="checkbox"/>	<input type="checkbox"/>	
Nursing Manager or Charge Nurse	Nursing personnel is informed of deficiency after completion of inspection. Written report is sent to nurse manager	<input type="checkbox"/>	<input type="checkbox"/>	

Revised 12/28/12

Page 2